











# Flush & sliding door pulls & door stops

Edge pulls, flush pulls, privacy flush pulls for timber, glass & aluminium swing & sliding doors door stops, wall & floor mounted from Italy, Spain, Austria & Japan







# Product index

Privacy flush pulls for sliding doors	
Privacy sliding door flush pulls	Pg. 4 - 11
General flush pulls for sliding doors	
Passage models	Pg. 12 - 16
Edge pulls for sliding doors	
Built in edge mounted flush pulls	Pg. 17 - 29
Concealed flush pulls for swing & sliding doors	
Fully concealed flush pulls	Pg. 30 - 34
Sly stainless steel sliding flush & end pulls	
Face mounted designer flush pulls	Pg. 35 - 43
Door stops	
Wall mounted & floor mounted	Pg. 44 - 47

# BPFP60S - Privacy flush pull

Bonaiti of Italy



Matching flushpull set on page 14

#### Door suitability:

Door thickness: 34mm + Timber doors only

#### Versions available:

BPFP60ST - Privacy flush pull with BL015T sliding door lock BPFP60SL - Privacy flush pull with BL015 sliding door lock

BPFP60S - Privacy flush pull only

#### Available finishes:

CR = Polished chrome SC = Satin chrome MB = Matte black PB = Polished brass

#### Specification codes:

BPFP60ST - Finish BPFP60SL - Finish

BPFP60S - Finish

Matching flush pull set on page: 1

# Single face plate with integrated finger pull. Or lock lock 13 | 94 | 15 | 60 | 18,5 | 70 | 30 | 70 |

# BPFP60R - Privacy flush pull Bonaiti of Italy



Matching flushpull set on page 14

#### Door suitability:

Door thickness: 34mm + Timber doors only

#### Versions available:

BPFP60RT - Privacy flush pull with BL015T sliding door lock BPFP60RL - Privacy flush pull with BL015 sliding door lock

BPFP60R - Privacy flush pull only

#### Available finishes:

CR = Polished chrome

SC = Satin chrome MB = Matte black


PB = Polished brass

#### Specification codes:


BPFP60RT - Finish

BPFP60RL - Finish

BPFP60R - Finish



# K4500L - Privacy sliding latch Didheya of Spain










K4500 Privacy Sliding Latch

# PRE154 - Privacy flush pull Elmes of Japan










Matching flushs pull on page 20



#### Door suitability:

Door thickness: 40 - 47mm

#### Available finishes:

CR = Polished chrome MB = Matte black

#### Specification codes:

PRE154LH - Finish PRE154RH - Finish Includes sliding door latch



## K14250L - Privacy flush pull

Didheya of Spain





#### Door suitability:


Door thickness: 32mm + Timber doors only

#### Available finishes:

SS satin stainless steel PS polished stainless steel (face only) PC powder coated

#### Specification codes:

K14250L - Finish Includes BL015 sliding door latch



# D127L - Giotto Q privacy flush pull

Olivari of Italy





#### Door suitability:


Door thickness: 40mm + Timber & aluminium doors

#### Available finishes:

CR, SC IB, IS, IBN, ISN, ISB IA, ISC, ISBRZ PBU

#### Specification codes:

D127L - Finish Includes BL015 sliding door latch





Suitable for timber & aluminium doors

# D128L - Giotto Q privacy flush pull Olivari of Italy





#### Door suitability:


Door thickness: 40mm + Timber & aluminium doors


#### Available finishes:

CR, SC IB, IS, IBN, ISN, ISB IA, ISC, ISBRZ PBU

#### Specification codes:

D128L - Finish Includes BL015 sliding door latch





Matching flush pull on page 14 (D129)

Matching flush pull on page 14 (D129)

#### K13250L - Privacy flush pull Didheya of Spain

#### Door suitability:


Door thickness: 32mm + Timber doors only

#### Available finishes:

SS satin stainless steel PS polished stainless steel (face only) PC powder coated

#### Specification codes:

K13250L - Finish Includes BL015 sliding door latch





# D132L - Dante privacy flush pull Olivari of Italy

#### Door suitability:


Door thickness: 40mm + Timber & aluminium doors

#### Available finishes:

CR, SC IB, IS, IBN, ISN, ISB IA, ISC, ISBRZ PBU

#### Specification codes:

D132L - Finish Includes sliding door latch







Matching flush pull on pgage 14 (D134)

Suitable for timber & aluminium doors

Olivari of Italy

#### Door suitability:


Door thickness: 40mm + Timber & aluminium doors


#### Available finishes:

CR, SC IB, IS, IBN, ISN, ISB IA, ISC, ISBRZ PBU

#### Specification codes:

D133L - Finish Includes sliding door latch










D133L - Dante privacy flush pull

Matching flush pull on page 14 (D134)

Suitable for timber & aluminium doors

# UT1149 long flush pull Elmes of Japan

Made by Elmes of Japan, these new sleek, long sliding door flush pulls offer a sophisticated, sleek look and feel







#### Door suitability:

Door thickness: 36-40mm

#### Available finishes:

SI = Anodised silver SN = Anodised stainless steel MB = Anodised matte black

#### Specification codes:

UT1149A - Finish - 2200mm UT1149B - Finish - 1200mm UT1149C - Finish - 600mm UT1149D - Finish - 450mm

# D134 - Dante flush pull

Olivari of Italy

Door suitability:

Timber & aluminium doors

#### Available finishes:

CR, SC IB, IS, IBN, ISN, ISB IA, ISC, ISBRZ PBU

#### Specification codes:

D134 - Finish

#### D129 - Giotto Q flush pull Olivari of Italy



#### Door suitability:


Timber & aluminium doors

#### Available finishes:


CR, SC IB, IS, IBN, ISN, ISB IA, ISC, ISBRZ PBU

#### Specification codes:

D129 - Finish



Matching privacy on pg. 11



Matching privacy on pg. 10

#### D109 - Vico flush pull

Olivari of Italy



#### Door suitability:

Timber & aluminium doors

#### Available finishes:

IB, IS, IBN, ISN, ISB IA, ISC, ISBRZ PBU

#### Specification codes:

D109 - Finish



## D111 - Siro flush pull

Olivari of Italy



#### Door suitability:


Timber & aluminium doors

#### Available finishes:

CR, SC IB, IS, IBN, ISN, ISB IA, ISC, ISBRZ PBU

#### Specification codes:

D111 - Finish



# BFP60R - Flush pull

Bonaitii of Italy

#### Door suitability:

Timber doors



#### BFP60R - Flush pull

Bonaiti of Italy



# D509 - Nemi flush pull

Olivari of Italy



Door suitability: Timber & aluminium doors

Available finishes: BL, WH (nylon)

Specification codes: D509 - Finish



S2155 - Flush pull

Siro of Austria




Door suitability:

Timber doors

Available finishes: CR, SN

Specification codes:

S2155 - Finish



S2293 - Flush pull Siro of Austria





S2294SS

Door suitability: Timber doors

Available finishes:

Specification codes: S2293SS





S2291 - Flush pull

Siro of Austria








#### Door suitability: Timber doors

Available finishes: SS

Specification codes: S2291ASS (L150) S2291BSS (L102) S2291CSS (50 x 50mm)



12

#### T203 & S2151 - Flush pull

Elmes of Japan & Siro of Austria



T203 S2151



Door suitability: Timber doors

#### **Dimensions:**

T203 - 90mm diameter, 14mm depth S2151 - 90mm diameter, 19mm depth

#### Available finishes:

T203 - SS, PSS S2151 - CR, SN

#### Specification codes:

T203 - Finish (visible fixings on 1 side) S2151 - Finish

#### S2292 - Flush pull Siro of Austria



#### Door suitability:

Timber doors

#### **Dimensions:**

S2292A - 70mm diameter, 2 & 15mm depth S2292B - 50mm diameter, 2 & 13mm depth

#### Available finishes:

S2292A - SS, PSS (face only) S2292B - SS, PSS (face only)

#### Specification codes:

S2292A - Finish S2292B - Finish

# 60595 - Flush pull

Omporro of Italy



#### Door suitability:

Timber doors

#### Dimensions:

60595A - 50mm diameter, 12mm depth 60595B - 40mm diameter, 12mm depth

#### Available finishes:

CR, SN, PB

#### Specification codes:

60595A - Finish 60595B - Finish

# BFP3X - Sliding door finger pull

Bonaiti of Italy



#### Door suitability: Timber doors

Available finishes: CR, SC, PB, BZ

Specification codes: BFP3X - Finish



# D126 - Sliding door finger pull

Olivari of Italy



## Door suitability:

Timber doors

#### Available finishes: CR, SC

IB, IS, IBN, ISN, ISB IA, ISC, ISBRZ PBU, EMB, BRZ, PC

#### Specification codes:

D126 - Finish









# Edge:

Edge pulls by Didheya of Spain & Elmes of Japan







Six millimeters thick and in multiple designs. The Edge range from Didheya of Spain is innovative, simple, practical and easy to install. Designed for sliding timber or glass doors in constant use, the Edge range is clean and visually different and appealing.


This is a clear example of pragmatism resolved in an AISI 304 stainless steel element.

Didheya of Spain by Bellevue



# T2940 & T2941 End flush pull Elmes of Japan





Door suitability: Timber doors 40-42mm (T2940) Timber doors 36-40mm (T2941)

#### Dimensions:


400mm length

#### Available finishes:

CR - Polished chrome BRZ - Dark bronze

#### Specification codes:

T2940 - Finish T2941 - Finish



# PRE150 - Edge flush pulls

Elmes of Japan



see matching privacy flush pull on page 8

#### Door suitability:

Timber doors 40mm thick

#### **Dimensions:**


180 x 50 x 42mm

#### Available finishes:

CR - Polished chrome MB = Matte black

#### Specification codes:

PRE150 - Finish



# PRE151 - Single side edge flush pull; Ideal for cupboards, sliding doors.

Elmes of Japan

see matching privacy flush pull on page 8

#### Door suitability:

Timber doors 25mm thick

#### Dimensions:


180 x 25 x 32

#### Available finishes:

CR - Polished chrome MB = Matte black

#### Specification codes:

PRE151 - Finish





#### BI5250 Didheya of Spain

Didneya or Spain			
code.	А		
BI5250A	10	1	
BI5250B	12	1	
BI5250C	32	1	
BI5250D	40	1	
BI5250E	50	1	

STAINLESS STEEL AISI 304

#### Available LIPC finishes:


SS - Satin stainless steel
BZ - Bronze
WH - White
SB - Satin Brass
ORC - Ochre
AGA - Agave
BRW - Brown
BG - Blue Gray
SW - Sable White
GRA - Graphite
MG - Matt Gold
BLK - Black
COP - Copper
TIT - Titanium
NB - Navy Blue

GP - Green Pearl

MOY - Moyen

44,5

48,5



**LIPC** - Lacquer Infused Powder Coat





#### BI3250 Didheya of Spain code. BI3250A 10 14 1 BI3250B 12 16

BI3250E 40 49 1 BI3250F Custom Size (X, Y, Z)

STAINLESS STEEL AISI 304

38

39

44

BI3250C 32

BI3250D

#### Available LIPC finishes:

SS - Satin stainless steel

BZ - Bronze WH - White

SB - Satin Brass

ORC - Ochre AGA - Agave BRW - Brown


BG - Blue Gray SW - Sable White


GRA - Graphite MG - Matt Gold

BLK - Black

COP - Copper TIT - Titanium NB - Navy Blue

GP - Green Pearl MOY - Moyen







**LIPC** - Lacquer Infused Powder Coat







#### 60 Available LIPC finishes: SS - Satin stainless steel BZ - Bronze BI4250 WH - White Didheya of Spain SB - Satin Brass 3 ORC - Ochre x 🛭 code. AGA - Agave BRW - Brown 100 BG - Blue Gray BI4250A 10 1 SW - Sable White BI4250B 12 1 GRA - Graphite BI4250C 32 MG - Matt Gold BLK - Black BI425BD 38 1 COP - Copper 40 BI4250E 40 1 TIT - Titanium BI4250F Custom Size (X, Y, Z) NB - Navy Blue GP - Green Pearl STAINLESS STEEL AISI 304 MOY - Moyen 50



BI4257
Didheya of Spain


code.	А	
BI4257A	35	1
BI4257B	40	1
BI4257C	44.5	1


BI4250D Custom Size (X, Y, Z)

#### Available LIPC finishes:

MOY - Moyen









**LIPC** - Lacquer Infused Powder Coat




#### BI4251 Didheya of Spain

code.	Χ	
BI4251A	35	1
BI4251B	38	1
BI4251C	40	1
BI4251D	45	1
BI4251E	50	1
BI4251F	Custo	m Size
STAINLES	SS STEE	L AISI 304

#### LIPC - Lacquer Infused Powder Coat GP - Green Pearl

#### Available LIPC finishes:

SS - Satin stainless steel BZ - Bronze WH - White SB - Satin Brass ORC - Ochre AGA - Agave BRW - Brown BG - Blue Gray SW - Sable White GRA - Graphite MG - Matt Gold BLK - Black COP - Copper TIT - Titanium NB - Navy Blue







MOY - Moyen



#### Available LIPC finishes:


SS - Satin stainless steel BZ - Bronze BLK - Black SB - Satin Brass TIT - Titanium

AGA - Agave BRW - Brown BG - Blue Gray SW - Sable White

GRA - Graphite MG - Matt Gold

WH - White COP - Copper ORC - Ochre


NB - Navy Blue GP - Green Pearl MOY - Moyen



#### BI4258 Didheya of Spain

cod.	А	$\equiv$
4258A	35	1
4258B	40	1
4258C	44,5	1
4258E	Custom Size	•
	AISI 304	1

LIPC - Lacquer Infused Powder Coat



# BINS | Concealed flush pull range Designed for sliding doors that fully recess into pockets No-Ha of Belgium

The BINS range of concealed sliding door flush pulls have been specifically designed to provide a clean smooth contemporary look that is not interrupted by the visual appearance of traditional flush pulls or handles. Unlike traditional sliding door hardware, the BINS range sits flush with the face of the door; as a result the door will fully recess into the sliding door cavity.

Using the BINS range, the formal architectural composition of a door can now continue without interruption of a noticeable handle, creating an aesthetically minimalistic truly clean door.

More and more, tolerance in cavity sliders are becoming smaller & smaller. By using the BINS range, you can achieve a flawless blend by using the veneer of the door and adhering it to the rectangular push plate. This allows the flush pull to disappear into the door providing you with a beautifully clean solid door face, or flow of timber grain

The BINS range's beautiful contemporary look is achieved without compromising the functionality of the flush pull. The cavity, created when pressing the faceplate in, ranges from a minimum of 32mm through to 43mm deep based on door thickness, providing ample room from either side of the door.

An additional benefit of the BINS clever design; you can grab the flush pull from any side or position of its rectangular shape. This feature is due to the unit using four (4) springs, not a mechanism when pressing the face plate in.



# BINS | Concealed flush pull range - Technical data Designed for sliding doors that fully recess into pockets

Made 100% in Europe by No-Ha of Belgium, the BINS range of concealed flush pulls are made from industrial strength nylon and steel. The BINS range has shown to be a real winner in terms of reliability, functionality and aesthetic appeal.

Suitable for siding doors from 38mm to 50mm thick for double sided, min 27mm for single sided. Installation of the BINS range is achieved via use of a custom 44mm milling tool (BIZ44), by routing a hole in the door specifically

sized for the unit to drop in. There is no need for the door to be pulled apart, or to remove the face of the door. Using the BIZ44 milling tool (available for purchase or rental) fitting can be completed on site or in the factory.

With the added benefit of four (4) independent steel springs fixed to the underside of each push plate, you can rest easy knowing it will always bounce back and sit flush with the face of the door.


The BINS range comes with a 2-year manufacturer's guarantee.








- Opening: 87mm x 45mm
- Cover plate85.5mm x 43.5mm
  - Note: MDF and other cover plates are available for purchase (see below) to adhere to the face plates on the flush pull. Alternatively you can make them from the material cut out from your door.









## Back to back flush pulls for sliding doors



38 to 42mm thick doors





43 to 47mm thick doors



48 to 50mm thick doors

# Single side only flush pull for sliding doors





#### Order codes:

- BINS200 For doors 38 42mm thick
- BINS205 For doors 43 47mm thick
- BINS210 For doors 48 50mm thick
- BINS105 Single side only 27mm +
- BIZ44B Milling tool (purchase)
- BIZ44R Milling tool (rent)
- BINKPM MDF pre-cut cover plate
- BINKPA Aluminium pre-cut cover plate
- BINKPS Stainless steel pre-cut cover plate
- BINKPB Bronze pre-cut cover plate

# BINK250 | Single sided concealed flush pull Designed as a invisible pull for cupboard and drawer fronts

The BINK250 concealed cupboard and drawer pull has been specifically designed to provide a clean, smooth contemporary look that is not interrupted by the visual appearance of traditional cabinet pulls or handles. Unlike traditional handles the BINK250 sits flush with the face of the cupboard or drawer, creating an aesthetically appealing appearance that is truly clean and elegant.

By using the veneer of the door or other material, and adhering it to the rectangular push plate you can achieve a fully blended pull that looks and acts as part of the cupboard or drawer. The BINK250 provides you with a beautifully clean solid cupboard and drawer face. Designed to be used in a horizontal or vertical position, the BINK250 is suitable for almost any opening and closing application.

The BINK250's beautiful contemporary look is achieved without compromising the functionality of the pull. The cavity that the BINK250 creates when pressing the faceplate in is 19mm deep which provides ample room for even the largest of hands. An additional benefit of the BINK250's clever design is that you can grab the pull from any side or position of its rectangular shape. This feature is due to the unit using four (4) springs, not a single sided mechanism when pressing the faceplate in.









# BINK250| Single sided concealed flush pull - Technical data Designed for cupboard and drawer fronts


Like its bigger brother (the BINS range), the BINK250; also designed by No-Ha of Belgium, is an ideal solution where you need a single sided flush pull. Made from industrial strength nylon and steel, the BINK250 is also a real winner.

Installation of the BINK250 is achieved via the use of a custom 44mm milling tool (BIZ44). It cuts a hole on the inside of the cupboard, or drawer, specifically sized for the BINK250 to drop into. Using the BIZ44 milling tool, (available for purchase or rental) fitting can be completed on site, or in the factory.


With the added benefit of four (4) independent steel springs fixed to the underside of the push plate, you can rest easy knowing it will always bounce back and sit flush with the face of the door.

The BINK250 comes with a 2-year manufacturers guarantee.






# **BINK 250**



#### Measurements:

- Opening: 87mm x 45mm
- Cover plate85.5mm x 43.5mm
- Note: MDF and other cover plates are available for purchase (see below) to adhere to the face plates on the flush pull. Alternatively you can make them from the material cut out from your door.



#### Order codes:

- BINK250 For doors 19 24mm thick
- BIZ44B Milling tool (purchase)
- BIZ44R Milling tool (rent)
- BINKPM MDF pre-cut cover plate
- BINKPA Aluminium pre-cut cover plate
- BINKPS Stainless steel pre-cut cover plate
- BINKPB Bronze pre-cut cover plate


# BIZ44 | Milling tool - Technical data Designed for the BL004 & BL005, BINS & BINK range of concealed flush pulls


No longer is it a costly, difficult and time consuming process to fit off rebated hardware. This is not the case when you have the correct tool for the job.


Specifically made for the installation of the No-Ha invisible range of products, the BIZ44 milling tool makes the installation process a breeze. No more chiselling or chipping the timber; the BIZ44 is specific to the requirements of the No-Ha range.

The BIZ44 cuts a hole in the timber door and/or face of the cupboard or drawer specifically sized for the BINS and BINK range to drop into. Using the BIZ44 milling tool (available for purchase or rental) fitting can be completed on site or in the factory.

With the added benefit of four (4) independent cutting edges, the BIZ44 has been made with multiple uses in mind.







Used throughout Europe to achieve a blended look, the No-Ha range of concealed handles meets today's minimalistic look and feel of modern architecture and interior design.

Now being used in residential and commercial projects throughout Australia and New Zealand.




#### Used on:


- Swing doors
- Sliding doors
- Drawers
- Cupboards




#### Practical application:

- Desks
- Kitchens
- Furniture
- WC doors
- Utility rooms
- Pantry doors
- Hidden rooms
- Cupboard drawers
- Bathroom entry doors
- Doors in narrow hallways







Cover plate dimensions

#### Order codes:

- BIZ44B Milling tool (purchase)
- BIZ44R Milling tool (rent)
- BINKPM MDF pre-cut cover plate
- BINKPA Aluminium pre-cut cover plate
- BINKPS Stainless steel pre-cut cover plate
- BINKPB Bronze pre-cut cover plate



# Sly: Flush pulls by Didheya of Spain

Six millimeters thick and in multiple designs. The Sly range from Didheya of Spain is innovative, simple, practical and easy to install. Designed for sliding timber or glass doors in constant use, the Sly range is clean and visually different and appealing.

This is a clear example of pragmatism resolved in a six millimeter thick element.

Didheya of Spain by Bellevue

#### BI4040 Didheya of Spain

 Code
 H
 A
 Proj

 BI3030A
 300 185.41
 6


 BI3030B
 150 92.71
 6

 BI3030C
 85 50
 6

Satin stainless AISI 304 Sold in sets, dimensions in mm, on glass UV glue is recommended. Custom sizes available









BI4030 Didheya o		n		BI4020 Didheya of Spain		
Code	H1	H2	W1	W2	Proj	Code H1 H2 W1 W2 Proj
BI4030A	500	480	90	20	6	BI4020A 300 280 80 50 6
BI4030B	300	280	75	20	6	BI4020B 150 130 65 35 6
BIVOSOC	150	130	60	20	6	RI/1020C 85 65 50 20 6

Flush & sliding door pulls by Bellevue Architectural - Smart architectural products








BI3010 Didheya of	: Spair	١		BI4010 Didheya of	BI4010 Didheya of Spain						
Code	ØD	Ød	Proj	Code	ØD	Proj					
BI3030A	100	68	6	BI3030A	85	6					
BI3030B	70	46	6	BI3030B	65	6					
BI3030C	40	24	6	BI3030C	50	6					


Flush & sliding door pulls by Bellevue Architectural - Smart architectural products





BI3030 Didheya of				BI3040 Didheya of Spain								
Code	ØD	Proj	Code	. A	В	C	R	Proj				
BI3030A	100	6	BI30	40A 100	87.50	12	50	6				
BI3030B	70	6	BI30	40B 70	60	10	35	6				
BI3030C	40	6	BI30	40C 40	30	8	20	6				





BI3020 Didheya of Spain						BI4050 Didheya of Spain					BI4060 Didheya of Spain					
Code	R	Н	Ε	Proj	Co	de	Н	А	Proj		Code	H1	H2	Α	В	Proj
BI3020A	50	300	16	6	BIA	4050A	300	30	6		BI4060A	300	225	90	15	6
BI3020B	35	150	12	6	BI	4050B	150	25	6		BI4060B	150	100	50	10	6
BI3020C	20	85	8	6	BI	4050C	85	20	6		BI4060C	85	59	35	6	6

## B136 - Cubo floor mounted door stop

Olivari of Italy





Available finishes: CR, SC IB, IS, IBN, ISN, ISB IA, ISC, ISBRZ PBU, EMB, BRZ, PC






Olivari "Cubo" - B136N Non-magnetic door stop Available finishes: CR, SC IB, IS, IBN, ISN, ISB IA, ISC, ISBRZ

PBU, EMB, BRZ, PC

### B106 - Victor floor mounted door stop

Olivari of Italy







Olivari "Victor" - B106N Non-magnetic door stop Available finishes: CR, SC IB, IS, IBN, ISN, ISB IA, ISC, ISBRZ PBU, EMB, BRZ, PC

## Floor mounted door stops

Olivari of Italy



Olivari "Gardena" - B103



Available finishes: IB PC



Olivari "Sector" - B101





Olivari "Raffaella" - B102

Available finishes: CR, SC IB, IS, IBN, ISN, ISB IA, ISC, ISBRZ PBU, EMB, BRZ, PC

# Floor mounted door stop Olivari of Italy

Olivari "Stilo" - B121



Available finishes: CR, SC IB PBU, EMB, BRZ, PC

# Wall mounted door stop Olivari of Italy



Olivari "Stilo" - B123R

Available finishes: CR, SC IB PBU, EMB, BRZ, PC



**Half moon - 60130** Elmes of Japan - UT260BL CR - Polished chrome SC - Satin chrome PB - Polished brass SN - Satin nickel BL = Anodised aluminium PC - Powder coated & black rubber **Didheya -** 91222 Didheya - KU80ASS and KU80BSS Didheya - KU20SS and KU35SS





#### Elmes of Japan - UT261BL



BL = Satin anodised aluminium & black rubber



90

#### **Bullet -** B13002



PSS - Polished stainless steel


SSS - Satin stainless steel

PC - Powder coated



#### Didheya of Spain - KU50 & KU40





#### **Square -** B3711



# Wall or door mounted coat hook & door stop

Elmes of Japan - UT001




SI = Satin anodised aluminium & black rubber BL = Black 116 --- 60 --- 60 ---

Elmes of Japan - UT60

## **Concealed door stops**




SC = Satin chrome



#### Elmes of Japan - UT34SSRH | UT34SSLH



Elmes of Japan - UT64



SC = Dull chrome with grey resin

# Monster door stops for monster doors

Elmes of Japan - UT100YBL




- BL = Stainless steel & black rubber PC Powder coated

BL = Stainless steel & black rubber

PC - Powder coated



Elmes of Japan - UT001



Bellevue Architectural | 03 9571 5666| info@bellevuearch.com.au | www.bellevuearch.com.au

# Full height sliding door flush pulls

## UT1149

Door suitability: Tinber Doors Door thickness: 36-40mm

Available finishes: SI = Anodised silver SN = Anodised stainless steel MB = Anodised matte black

Specification codes: UT1149A - Finish - 2200mm UT1149B - Finish - 1200mm UT1149C - Finish - 600mm UT1149D - Finish - 450mm

Bellevue Architectural 954 Glen Huntly Road, Caulfield South, Victoria, 3162

Ph: +61 3 9571 5666 Fax: +61 3 9571 1347 www.bellevuearch.com.au info@bellevuearch.com.au