




Offset Fixing Plate

Suitable for Jamb Fix Only



Offset Fixing Plate Dimensions



Code	A	B	C	D
BAC1130XFPO	148mm	134mm	134mm	2.5mm
BAC1230XFPO	136mm	136mm	70mm	3mm
BAC1131XFPO	180mm	166mm	74mm	3mm
BAC1430XFPO	134mm	120mm	66mm	3mm

The BAC1XFPO offset fixing plate, when used in conjunction with the concealed hinge, allows a door to be hung offset to a wall or timber/metal post or door jamb where required.


Adjustment Wedge

BACWEG Adjustment Wedge

An aid to assist in positioning the door when hanging using CEAM concealed hinges



Adjustment Keys




	A	B	Used for Models
BACKEY1	8	2,5	1129, 1080, 1130, 1230S
BACKEY2	10	3	1131S,

BACKEY Adjustment Keys

Used to adjust the position of the door via the hinges 3D adjustment axis points. Used to remove the hinge from its cup so the door can be removed and re-hung.

New Offset Fixing Plate



Description:

The offset fixing plate is an innovative solution tailored for thick cladding applications. It enables hinge placement at the edge of the jamb, ensuring secure support where traditional methods might fall short. With the capability to accommodate up to 20mm of cladding, this design is especially advantageous for projects involving decorative cladding. Its functionality not only enhances structural integrity but also offers versatility in various installation scenarios.

The offset fixing plate can also be recessed / milled into the jamb / door, making it suitable for situations that require narrow cladding, allowing for the use of cladding as thin as 12mm.

Weight Considerations:



For all hinges excluding the BAC1432W, the supported weight range of the hinge remains unaffected by the use of offset fixing plates. For the BAC1432W refer to the below table for the adjusted weight ranges.

Offset Fixing Plate Models	
Code	Compatible Hinge
BAC1230XFP	BAC1230S
BAC1131XFP	BAC1131S
BAC1432WXFP	BAC1432W



2 x BAC1432W for doors 1900 - 2200mm high							
2200	130	130	130	130	130	119	108
2100	130	130	130	130	125	112	103
2000	130	130	130	130	117	107	99
1900	130	130	130	124	111	102	95
h x w	700	800	900	1000	1100	1200	1300
Height x Width in mm Weight in Kg							

red = value has been adjusted compared to a regular BAC1432W

BAC1230XFP



BAC1131XFP



BAC1432WXFP

